

# FeatureList xText EBNF Version 2.0

## Core Features:

1. BNF front-end (Parser, Lexer, Linker, etc.)
2. translates a textual representation into an Ecore model
3. Editor - provides IDE features, e.g. auto-completion, syntax highlighting, etc.

## Validation Rules:

These rules will give warnings in the editor if they find inconsistencies in the code.

1. *checkUpdateGrammarConsistency*: checks, if the grammar is an updated grammar, for consistencies between the originals and the new grammar  
status: not migrated
2. *!CheckReferencedOnlyOnce*: this should warn if there is a rule that is only referenced once, this is an inlining hint e.g.:  
status: migrated
3. *checkPassthroughRule*: e.g.: this tests if a rule gets just passed through a ::= b b ::= "literal" <=> a ::= "literal" , which is better for EBNF  
status: migrated
4. *checkEqualAlternative*: this tests if a rule got equal alternatives e.g.: a ::= d | d  
status: still some problems
5. *checkDuplicateRules*: checks if there is another rule in the EtsiBnf?, that got the same behaviour e.g.: a ::= "literal" | b c ::= "literal" | b  
status: migrated
6. *checkSubruleDuplicates*:  
status: not migrated
7. *check unused rule*: it checks if a rule is used (except for the rule with the number 1)  
status: migrated
8. *checkNameIsUnique*: checks if the name of a rule is already in use e.g.: a ::= "end" a ::= "fin"  
status: migrated

## Generation:

Generating an intermediate xsl-fo representation for all BNF grammars (merge or delta grammars not supported). This can be rendered to PDF using apache-fop

## Formatting:

*old*: had some but they are got commented out in the main project

*new*: Line-break after every rule, white-spaces after all literals, possible update linebreak and double tab after all >|< bars

## Refactoring and Quick-fixing:

Automated restructuring support.

1. *auto Numbering of rules*  
-not migrated
2. *remove unused rules*  
-migrated
3. *replacement of passthroughRules*  
-not migrated
4. *refactor uppercaseTokenRules*  
-not migrated
5. *find references*, this one is standard in.xtext2.\* -renaming, this is standard in.xtext2.\*

## Grammar composition:

-3 grammartypes:

grammar: normal grammar  
deltagrammar: different notation for a extension grammar,

adds new rules to a grammar (regular rules) and adds changes to rules of the extended grammar(extension rules) -can be automatically created

mergegrammar: for merging extensions

-old version had an automatic composition Process, for merge grammars, with a small pop-up-menu.

- at the moment no support in the new version

## Deployment:

export project as Plugin: Plug-in Development/deployable plug-ins and fragments -rcp project with a minimal eclipse editor